

m **0751** GR 07.BÜGEL/CHROM
 Lochabstand = 96mm



m **0752** GR 07.BÜGEL/GOLD
 Lochabstand = 96mm



m **0755** GR 07.BÜGELWEISS
 Lochabstand = 96mm



m **0759** GR 09.BUCHE
 Lochabstand = 96mm



m **0761** GR 09.KIRSCH-DKL
 Lochabstand = 96mm




m **0773** GR 53.WELLE/VERN.
 Lochabstand = 128mm



m **0765** GR 17.R/CHROM
 Lochabstand = 96mm



m **0767** GR 20.R/CHROM-SCHW
 Lochabstand = 128mm



m **0780** GR 54.MESSING
 Lochabstand = 128 mm



m **0770** GRIFFLEISTE ALU
 LAUFMETER



m **0771** GRIFFLEISTE EDELSTAHL
 LAUFMETER



m **0783** WG 05.BIRKE/SCHW
 Lochabstand = 96mm



m **0781** WG 05.BIRKE/CHROM
 Lochabstand = 96mm



m **0782** WG 05.BIRKE/GOLD
 Lochabstand = 96mm



m **0826** MUSCHELGR/CHROM MATT



m **786** GR KERAMIK-ROSE/BRONZE
 Lochabstand = 96 mm



m **785** GR KERAMIK-ROSE/ZINN
 Lochabstand = 96 mm



m **788** GR KERAMIK/ALTZINN
 Lochabstand = 96 mm



m **787** GR GITTER/ALTZINN
 Lochabstand = 96 mm



m **784** GR KERAMIK-ANTIK/ZINN
 Lochabstand = 128 mm



m **789** GR RAHMEN/CHROM MATT
 Lochabstand = 160mm



m **790** GR RELING 18MM/EDELST.
 Lochabstand = 160mm



m **791** GR RELING-SOCKEL/CHROM
 Lochabstand = 192mm



m **792** GR CUBE/EDELSTAHL
 Lochabstand = 160mm



m **0795** GR PFEIFE NI/CHROM
 Lochabstand = 128mm



m **0800** GR EDELST.KAMM
 Lochabstand = 128mm



m **0809** WG 05.KIRSCH/SCHW
 Lochabstand = 96mm



m **0801** WG 05.BUCHE/CHROM
 Lochabstand = 96mm



m **0802** WG 05.BUCHE/GOLD
 Lochabstand = 96mm




m **0803** WG 05.BUCHE/SCHW
 Lochabstand = 96mm



m **0807** WG 05.KIRSCH/CHROM
 Lochabstand = 96mm



m **0808** WG 05.KIRSCH/GOLD
 Lochabstand = 96mm



m **0836** GR 50.ES/BÜGEL
 Lochabstand = 128mm




m **0833** WG 05.BUCHE-HELL/SCHW
 Lochabstand = 96mm



m **0831** WG 05.BUCHE-HELL/CHROM
 Lochabstand = 96mm




m **0832** WG 05.BUCHE-HELL/GOLD
 Lochabstand = 96mm



m **0837** GR 44.ES/BÜGEL
 Lochabstand = 128mm



m **0838** GR 44.BÜGEL/GOLD
 Lochabstand = 128mm



m **0835** GR 43.ES/BÜGEL
 Lochabstand = 128mm



m **0834** GR 42.ES/BÜGEL
 Lochabstand = 128mm



m **828** GR EDELSTAHL+CHROM
 Lochabstand = 160mm



m **829** GR EDELSTAHL+CHROM
 Lochabstand = 320mm



m **3346** GR RELING/ACRYL-BLAU
 Lochabstand = 128mm



m **3335** GR BÜGEL/NICKEL 121
 Lochabstand = 96mm



m **3331** GR BÜGEL/MESSING 121
 Lochabstand = 96mm



m **3300** GR 41.ES/RELING 160
 Lochabstand = 96mm



m **3301** GR 41.ES/RELING 192
 Lochabstand = 128mm



m **3302** GR 41.ES/RELING 256
 Lochabstand = 192mm



m **3303** GR 41.ES/RELING 288
 Lochabstand = 224mm



m **3304** GR 41.ES/RELING 352
 Lochabstand = 288mm



m **3305** GR 41.ES/RELING 384
 Lochabstand = 320mm



m **3306** GR 41.ES/RELING 448
 Lochabstand = 384mm



m **3307** GR 41.ES/RELING 544
 Lochabstand = 480mm



m **3309** GR 41.ES/RELING 704
 Lochabstand = 640mm



m **3310** GR 41.ES/RELING 800
 Lochabstand = 736mm



m **3311** GR 41.ES/RELING 1020
 Lochabstand = 960mm



103315770 GR EDELSTAHL 74
 Lochabstand = 64mm



103315771 GR EDELSTAHL 106
 Lochabstand = 96mm



103315772 GR EDELSTAHL 138
 Lochabstand = 128mm



103315773 GR EDELSTAHL 170
 Lochabstand = 160mm



103315774 GR EDELSTAHL 202
 Lochabstand = 192mm



103315775 GR EDELSTAHL 234
 Lochabstand = 224mm



103315776 GR EDELSTAHL 266
 Lochabstand = 256mm



103315777 GR EDELSTAHL 298
 Lochabstand = 288mm



103315778 GR EDELSTAHL 330
 Lochabstand = 320mm



m 0778 GR 1805 CHROM
 Lochabstand=160 mm



m 0796 GR EDELST.REFLEX 160
 Lochabstand=160 mm



m 0797 GR EDELST.REFLEX 320
 Lochabstand=320 mm



m 0777 GR 1582 alufärbig
 Lochabstand=96 mm



103304630 GR ALU-111
 Lochabstand = 96 mm



103304631 GR ALU-143
 Lochabstand = 128 mm



103304632 GR ALU-175
 Lochabstand = 160 mm



103304633 GR ALU-207
 Lochabstand = 192 mm



103304634 GR ALU-239
 Lochabstand = 224 mm



103304635 GR ALU-271
 Lochabstand = 256 mm



103304636 GR ALU-303
 Lochabstand = 288 mm



103304637 GR ALU-335
 Lochabstand = 320 mm



103304638 GR ALU-399
 Lochabstand = 384 mm



103304639 GR ALU-495
 Lochabstand = 480 mm



103304640 GR ALU-591
 Lochabstand = 576 mm



103304641 GR ALU-655
 Lochabstand = 640 mm



103304642 GR ALU-751
 Lochabstand = 736 mm



103304643 GR ALU-815
 Lochabstand = 800 mm



103304645 GR ALU-975
 Lochabstand = 960 mm



103304646 GR ALU-1039
 Lochabstand = 1024 mm



m **814** GR.Reling-Cube/Chrom 143
 Lochabstand=128 mm



m **815** GR.Reling-Cube/Chrom 207
 Lochabstand=192 mm



m **816** GR.Reling-Cube/Chrom 335
 Lochabstand=320 mm



m **817** GR.Reling-Cube/Chrom 495
 Lochabstand=48 mm



m **0779** GR 1908 CHROM
 Lochabstand=32 mm



m **0818** GR FLAT/ALU 190
 Lochabstand=149 mm



m **0820** GR FLAT/ALU 390
 Lochabstand=349 mm



103306710 GR Messing 172
 Lochabstand=128 mm



103304697 GR Edelstahl 113
 Lochabstand=96 mm
103304698 GR Edelstahl 175
 Lochabstand=160 mm



103304700 GR alufarbig 113
 Lochabstand=96 mm
103304701 GR alufarbig 175
 Lochabstand=160 mm



103317360 GR Messing 111
 Lochabstand=96 mm
103317361 GR Messing 143
 Lochabstand=128 mm



103316811 GR verchromt pol. 163
 Lochabstand=128 mm



103316816 GR verchr. matt 163
 Lochabstand=128 mm



103316821 GR Edelstahl Eff. 163
 Lochabstand=128 mm



103317410 GR verchromt pol. 120
 Lochabstand=64 mm



103317411 GR verchromt pol. 172
 Lochabstand=96 mm

103317412 GR verchromt pol. 222
 Lochabstand=128 mm



103317415 vernickelt matt 120
 Lochabstand=64 mm

103317416 GR vernickelt matt 172
 Lochabstand=96 mm

103317412 GR vernickelt matt 222
 Lochabstand=128 mm



103396504 GR Edelstahl 200
 Lochabstand=192 mm

103396505 GR Edelstahl 328
 Lochabstand=320 mm

103396506 GR Edelstahl 488
 Lochabstand=480 mm