

m **0751** GR 07.BÜGEL/CHROM
 Lochabstand = 96mm



m **0752** GR 07.BÜGEL/GOLD
 Lochabstand = 96mm



m **0755** GR 07.BÜGELWEISS
 Lochabstand = 96mm



M **0762** GR BÜGEL/CHROM
 Lochabstand = 160mm



m **0763** GR BÜGEL/Edelst. Finish
 Lochabstand = 160mm



m **0764** GR BÜGEL/Schwarz-Vern.
 Lochabstand = 160mm



m **0765** GR 17.R/CHROM
 Lochabstand = 96mm



m **0767** GR 20.R/CHROM-SCHW
 Lochabstand = 128mm



m **0773** GR 53.WELLE/VERN.
 Lochabstand = 128mm



m **0774** GR BÜGEL/Edelst. Finish
 Lochabstand = 160mm



m **0775** GR BÜGEL/CHROM-GEB.
 Lochabstand = 160mm



m **0776** GR BÜGEL/SCHWARZ-VER.
 Lochabstand = 160mm



m **0770** GRIFFLEISTE ALU
LAUFMETER



m **0771** GRIFFLEISTE EDELSTAHL
LAUFMETER




m **0777** GR 1582 alufärbig
Lochabstand=96 mm



m **0778** GR 1805 CHROM
Lochabstand=160 mm



m **0779** GR 1908 CHROM
Lochabstand=32 mm



m **0780** GR 54.MESSING
Lochabstand = 128 mm



m **0783** WG 05.BIRKE/SCHW
Lochabstand = 96mm



m **784** GR KERAMIK-ANTIK/ZINN
Lochabstand = 128 mm



m **789** GR RAHMEN/CHROM MATT
Lochabstand = 160mm



m **790** GR RELING 18MM/EDELST.
Lochabstand = 160mm



m **791** GR RELING-SOCKEL/CHROM
Lochabstand = 192mm



m **792** GR CUBE/EDELSTAHL
Lochabstand = 160mm



m **0795** GR PFEIFE NI/CHROM
 Lochabstand = 128mm



m **0796** GR EDELST.REFLEX 160
 Lochabstand=160 mm



m **0797** GR EDELST.REFLEX 320
 Lochabstand=320 mm



m **0800** GR EDELST.KAMM
 Lochabstand = 128mm



m **0809** WG 05.KIRSCH/SCHW
 Lochabstand = 96mm



m **814** GR.Reling-Cube/Chrom 143
 Lochabstand=128 mm



m **815** GR.Reling-Cube/Chrom 207
 Lochabstand=192 mm



m **816** GR.Reling-Cube/Chrom 335
 Lochabstand=320 mm




m **817** GR.Reling-Cube/Chrom 495
 Lochabstand=48 mm



m **0818** GR FLAT/ALU 190
 Lochabstand=149 mm



m **0820** GR FLAT/ALU 390
 Lochabstand=349 mm



m **0826** MUSCHELGR/CHROM MATT




m **828** GR EDELSTAHL+CHROM
Lochabstand = 160mm




m **829** GR EDELSTAHL+CHROM
Lochabstand = 320mm




m **0833** WG 05.BUCHE-HELL/SCHW
Lochabstand = 96mm




m **0834** GR 42.ES/BÜGEL
Lochabstand = 128mm



m **0835** GR 43.ES/BÜGEL
Lochabstand = 128mm



m **0836** GR 50.ES/BÜGEL
Lochabstand = 128mm



m **0837** GR 44.ES/BÜGEL
Lochabstand = 128mm



m **0838** GR 44.BÜGEL/GOLD
Lochabstand = 128mm



M **0890** GR ALUFARBIG 207
Lochabstand = 192mm



M **0891** GR ALUFARBIG 303
Lochabstand = 288mm



M **0892** GR ALUFARBIG 399
Lochabstand = 384mm



M **0900** GR ZN VERCHROMT 162
Lochabstand = 128mm



M 0901 **GR ZN EDELSTAHL/EF 162**
 Lochabstand = 128mm

M 0904 **GR EDELSTAHL GEB 202**
 Lochabstand = 192mm

M 0905 **GR EDELSTAHL GEB 330**
 Lochabstand = 320mm



M 0906 **GR EDELSTAHL GEB 490**
 Lochabstand = 480mm

M 0910 **GR VERCHROMT POL 120**
 Lochabstand = 64mm

M 0911 **GR VERCHROMT POL172**
 Lochabstand = 96mm



M 0912 **GR VERCHROMT POL 222**
 Lochabstand = 128mm

m **3335 GR BÜGEL/NICKEL 121**
 Lochabstand = 96mm

m **3331 GR BÜGEL/MESSING 121**
 Lochabstand = 96mm



m **3300 GR 41.ES/RELING 160**
 Lochabstand = 96mm

m **3301 GR 41.ES/RELING 192**
 Lochabstand = 128mm

m **3302 GR 41.ES/RELING 256**
 Lochabstand = 192mm



m **3303** GR 41.ES/RELING 288
 Lochabstand = 224mm



m **3304** GR 41.ES/RELING 352
 Lochabstand = 288mm



m **3305** GR 41.ES/RELING 384
 Lochabstand = 320mm



m **3306** GR 41.ES/RELING 448
 Lochabstand = 384mm



m **3307** GR 41.ES/RELING 544
 Lochabstand = 480mm



m **3309** GR 41.ES/RELING 704
 Lochabstand = 640mm



m **3310** GR 41.ES/RELING 800
 Lochabstand = 736mm



m **3311** GR 41.ES/RELING 1020
 Lochabstand = 960mm



103306710 GR Messing 172
 Lochabstand=128 mm



103317360 GR Messing 111
 Lochabstand=96 mm



103317361 GR Messing 143
 Lochabstand=128 mm



103315770 GR EDELSTAHL 74
 Lochabstand = 64mm
103315771 GR EDELSTAHL 106
 Lochabstand = 96mm
103315772 GR EDELSTAHL 138
 Lochabstand = 128mm



103315773 GR EDELSTAHL 170
 Lochabstand = 160mm
103315774 GR EDELSTAHL 202
 Lochabstand = 192mm
103315775 GR EDELSTAHL 234
 Lochabstand = 224mm



103315776 GR EDELSTAHL 266
 Lochabstand = 256mm
103315777 GR EDELSTAHL 298
 Lochabstand = 288mm
103315778 GR EDELSTAHL 330
 Lochabstand = 320mm



103304630 GR ALU-111
 Lochabstand = 96 mm
103304631 GR ALU-143
 Lochabstand = 128 mm
103304632 GR ALU-175
 Lochabstand = 160 mm
103304634 GR ALU-239
 Lochabstand = 224 mm
103304635 GR ALU-271
 Lochabstand = 256 mm



103304637 GR ALU-335
 Lochabstand = 320 mm
103304639 GR ALU-495
 Lochabstand = 480 mm
103304640 GR ALU-591
 Lochabstand = 576 mm
103304641 GR ALU-655
 Lochabstand = 640 mm



103304642 GR ALU-751
 Lochabstand = 736 mm
103304643 GR ALU-815
 Lochabstand = 800 mm
103304645 GR ALU-975
 Lochabstand = 960 mm
103304646 GR ALU-1039
 Lochabstand = 1024 mm



103317415 vernickelt matt 120
 Lochabstand=64 mm
103317416 GR vernickelt matt 172
 Lochabstand=96 mm
103317412 GR vernickelt matt 222
 Lochabstand=128 mm



103304700 GR alufarbig 113
 Lochabstand=96 mm
103304701 GR alufarbig 175
 Lochabstand=160 mm



103304697 GR Edelstahl 113
 Lochabstand=96 mm
103304698 GR Edelstahl 175
 Lochabstand=160 mm

